

AF 60  
EBE 65

APPENDICE  
APPENDIX

versione 07/2020

The logo for Secco, featuring the word "secco" in white lowercase letters on a red trapezoidal background that tapers to the right.

**secco**



**APPENDICE: ACCESSORI DI COMPLETAMENTO**  
**APPENDIX: COMPLETION ACCESSORIES**



AC1550.A.AG argento | silver  
AC1550.A.NE nero | black

### AC 1550.A.xx

GU-BKS chiudiporta aereo senza guida a slitta OTS 736 BG per porta a 1 anta

*GU-BKS overhead door closer without slide rail OTS 736 BG for 1 leaf door*



AC1555.A.AG argento | silver  
AC1555.A.NE nero | black

### AC 1555.A.xx

GU-BKS braccetto sequenziatore di apertura per porta a 2 ante

*GU-BKS opening sequencer arm for 2 leaf door*



AC1552.A.AG argento | silver  
AC1552.A.NE nero | black

### AC 1552.A.xx

GU-BKS chiudiporta aereo senza guida a slitta OTS 736 BG per porta a 2 ante

*GU-BKS overhead door closer without slide rail OTS 736 BG for 2 leaf door*



### AC 1502Q.65

GU-BKS quadro maniglia sdoppiato LI-45/LA-60

*GU-BKS split spindle bar for handle LI-45/LA-60*



### AC 1550P.A

GU-BKS piastre di fissaggio chiudiporta OTS 736 BG

*GU-BKS fixing plate for door closer OTS 736 BG*



AC1502.A.AG alluminio argento | silver aluminium  
AC1502.A.NE acciaio inox satinato | brushed stainless steel

### AC 1502.A.xx

GU-BKS maniglia "RONDO" copertina ovale

*GU-BKS handle "RONDO" with oval cover*



AC1553.A.AG argento | silver  
AC1553.A.NE nero | black

### AC 1553.A.xx

GU-BKS coordinatore di chiusura SRI-B per porta a 2 ante

*GU-BKS closing coordinator device SRI-B for 2 leaf door*



AC1502.B.AG alluminio argento | silver aluminium  
AC1502.B.NE acciaio inox satinato | brushed stainless steel

### AC 1502.B.xx

GU-BKS maniglia "RONDO" copertina ovale senza bocchetta copri cilindro


*GU-BKS handle "RONDO" with oval cover without cylinder escutcheon plate*

**AC 1577A.A.xx**

GU-BKS maniglione antipánico:  
anta attiva

*GU-BKS antipanic bar:  
active leaf*

AC1577A.A.AG alluminio | aluminium  
AC1577A.A.NE nero | black

**AC 1594/2**

GU-BKS asta superiore con  
L=1500 mm


*GU-BKS top rod with  
L=1500 mm*

**AC 1577S.A.xx**

GU-BKS maniglione antipánico:  
anta inattiva

*GU-BKS antipanic bar: inactive  
leaf*

AC1577S.A.AG alluminio | aluminium  
AC1577S.A.NE nero | black

**AC 1594/3**

GU-BKS asta superiore con  
L=2000 mm

*GU-BKS top rod with  
L=2000 mm*

**AC 1577B.A**

GU-BKS maniglione antipánico:  
barra in alluminio  
L=1150 mm

*GU-BKS antipanic bar:  
aluminium bar  
L=1150 mm*

**AC 1594/4**

GU-BKS puntale superiore per  
anta attiva

*GU-BKS top ferrule for active  
leaf*

**AC 1594/1**

GU-BKS serratura antipánico  
ambidestra con entrata 35 mm

*GU-BKS ambidextrous antipanic  
lock with 35 mm inlet*

**AC 1595/1**


GU-BKS contro serratura  
entrata 35 mm

*GU-BKS counter-lock with  
35 mm inlet*

**AC 1595/4**

GU-BKS puntale superiore  
anta inattiva

*GU-BKS top ferrule for  
inactive leaf*

**AC 1595/6**

GU-BKS asta inferiore anata  
inattiva con  
L=1187 mm

*GU-BKS bottom rod for inactive  
leaf with  
L=1187 mm*

**AC 1595/7**


GU-BKS guida asta inferiore su  
anta inattiva

*GU-BKS bottom rod guide for  
inactive leaf*


**AC 1595/8**

GU-BKS incontro inferiore a  
vaschetta anta inattiva


*GU-BKS bottom bowl strike plate  
for inactive leaf*




- Installazione chiudiporta: dal lato opposto cerniere / Installation door closer installation: opposite to hinges side
- Massima apertura 120° / maximum open angle 120°



Pos.	Descrizione / Description	Quantità / Quantity
A	Chiudiporta OTS 736 BG senza guida a slitta GS - porta 1 anta / door closer OTS 736 BG without slide rail GS - 1 leaf door	1
B	braccio chiudiporta aereo / door closer arm	1
C	piastra di installazione / installation plate	1






- Installazione chiudiporta: dal lato opposto cerniere / Installation door closer installation: opposite to hinges side
- Massima apertura 120° / maximum open angle 120°



Pos.	Descrizione / Description	Quantità / Quantity
A	Chiudiporta OTS 736 BG senza guida a slitta GS - porta 2 ante / door closer OTS 736 BG without slide rail GS - 2 leaf door	2
B	braccio chiudiporta aereo / door closer arm	1
C	piastra di installazione / installation plate	2















Dimensioni porta con sequenziatore apertura  
*Door dimension with opening sequencer*

Anta / leaf  $\leq 1126$  mm  
Telaio / frame  $\leq 2300$  mm

\*tutte le applicazioni vanno verificate con gli ingombri del maniglione antipanico scelto  
*\*all the applications have to be verified according to the dimensions of the antipanic handle*







\* Con profili in inox da usare viti M5 / with stainless steel profile to be used M5 screws

# METALFORM

MASTERS OF METAL

**UNITED KINGDOM**

**METALFORM**

**NORWAYMETAL LTD**

53 Chelsea Manor Street

London, SW3 5RZ

**SALES@METALFORM.UK**

**+44 20 81298814**

**GERMANY**

**METALFORM GMBH**

Carl-Zeiss-Ring 15A

85737 Ismaning

**SALES@METALFORMGROUP.DE**

**+49 17663630406**

**NORWAY**

**METALFORM AS**

Brochmannsveien 2

1950 Rømskog

**SALG@METALFORM.NO**

**+47 401 62 446**

**METALFORMGROUP**

**SALES@METALFORMGROUP.COM**